

NAME

tdiff – tree diff, list differences between various inode attributes (**stat(2)** structure) and contents for two directory trees

SYNOPSIS

tdiff [*OPTIONS*]... *DIRECTORY1* *DIRECTORY2*

DESCRIPTION

List differences between *DIRECTORY1* and *DIRECTORY2* file trees, comparing any of the inode attributes, also known as **stat(2)** structure members. Inode attributes are:

- file type (regular file, directory, FIFO, socket, etc.),
- file size,
- file block count (physical storage size),
- owner uid and gid,
- access, modification and inode change times,
- the set of hard links a file has,
- extended attributes (if supported),
- ACLs (if supported),
- file system flags (BSD UFS, MacOSX).

By default, **tdiff** reports differences in any file contents or attributes except for the various file times. The set of attributes to be checked can be modified with the various options.

Beyond inode attribute checks, **tdiff** can check (and will check by default) regular files for contents difference. Optionally, **tdiff** can use an external program to determine if the files are considered to be different. See the **-x/--exec**, **-w/--exec-always**, and **-W/--exec-always-diff** options.

OPTIONS**Standard Options**

-h, --help

Show a short **help** message and exit.

-v, --verbose

Increase **verbosity**. Four cumulative levels of logging verbosity are supported:

- v** report overall statistics: total number of files scanned, compared, etc.
- vv** report if any files are skipped, and for what reason (exclusion, already compared, etc.)
- vvv** report internal data structure statistics.
- vvvv** report memory statistics (if available on your system).

-V, --version

Show the **tdiff** version information, compiled-in features and flags (if any) then exit.

The compiled-in feature list shows which features **tdiff** has been compiled with: **O_NOATIME**, flags, **acl**, and **xattr** support, **acl** optimization (**acl_cmp**), the **readdir(2)** implementation used, the file system time granularity (either seconds (*s*) or nanoseconds (*ns*)) and if comparing symbolic links will update their access time (**readlink=readlink**) or not (**readlink=open(O_PATH|O_NOFOLLOW)+readlinkat**).

If flags support is compiled in, the list of recognized flags will be listed as well.

Toggle Options

The single-letter toggle options come in two versions, upper-case and lower-case. The lower-case option enables the the attribute check, while the upper-case option disables it.

The long toggle options are named after the **stat(2)** structure names: for example, **--mtime** is used to check the *st_mtime* **stat(2)** structure member, which is the file modification time. Similarly to short toggle options, long toggle options have a **--no-** version to turn off the equivalent check (eg. **--no-mtime**).

-b, --blocks

Report file **block** count differences (*st_blocks*) except for directories which are ignored.
This is on by default.

-B, --no-blocks

Do not report file **block** count differences.

-c, --contents

Report file **content** differences for regular files and symbolic links.
For regular files, their contents are compared and any discrepancies are reported as a contents difference.
For symbolic links, a difference will be reported if their targets differ.
See the **CONTENTS COMPARISONS** section below for the exact semantics.
This is on by default.

-C, --no-contents

Do not report file **content** differences.

-d, --dirs

Diff **directory** contents: report if any file is present in only one directory.
This is on by default.

-D, --no-dirs

Do not diff **directory** contents: files only present in a single directory are not reported.

-e, --hardlinks

Report any differences in the set of hard links a file may be linked to.
For example if in a directory two files are hard linked together while in the other directory, they are not, **tdiff** will report that the files are hard links only in the first directory.
tdiff will only report the differences once per set of hard links: if in a directory **f1**, **f2** and **f3** are hard links while in the other **f1** and **f2** are hard links while **f3** exists but is not a hard link, **tdiff** will report that **f1** is only linked to **f3** in the first directory but will not report the same information for **f2** because **f1** and **f2** are part of the same set of hard linked files.
This is on by default.

-E, --no-hardlinks

Will not report any differences in hard links sets.

-f, --flags

Diff file system **flags**, as found in the **stat(2)** *st_flags* structure member. This is only supported on BSD, MacOSX and other systems that have *st_flags*.
tdiff --version will list which file system flags **tdiff** has been compiled with, but **tdiff** will report even differences in other flags unknown at compilation time, but will do so numerically instead of listing the actual flag name.
This is on by default if your system's **stat(2)** structure has *st_flags*.

-F, --no-flags

Do not diff file system **flags**.

-g, --gid

Report on any differences in file **group** ownership (owner group id, *st_gid*).
This is on by default.

-G, --no-gid

Do not report any differences in file **group** ownership (owner group id).

-i, --mtime

Report on any differences in file modification **time** (*st_mtime*), up to nanosecond resolution if the underlying OS reports it.

-I, --no-mtime

Do not report any differences in file modification times (*st_mtime*).
This is on by default.

-j, --major

For device files (either block or character), report any differences in major device numbers.
Note that major numbers will only be compared if both device files are of the same type (block or character).
This is on by default.

-J, --no-major

Do not report any differences in major device numbers on device files.

-k, --minor

For device files (either block or character), report any differences in minor device numbers.
Note that minor numbers will only be compared if both device files are of the same type (block or character).
This is on by default.

-K, --no-minor

Do not report any differences in minor device numbers on device files.

-l, --acl

Report on any differences in file ACLs as defined by **acl_set_file(3)**.
Any missing or different ACLs between the file pairs are reported. Access, default and mask ACL entries are supported.
This is on by default if ACLs are supported by the system.

-L, --no-acl

Do not report any differences in file ACLs.

-m, --mode

Report on any differences in file access mode (permission bits as set by **chmod(1)**). If set, **-o/--mode-or** and **-a/--mode-and** bitmasks are applied, if set.
This is on by default.

-M, --no-mode

Do not report any differences in file access modes (permission bits).

-n, --nlink

Report on any differences in file (hard) link counts (*st_nlinks*).
This is on by default.

-N, --no-nlink

Do not report any differences in file (hard) link counts.

-q, --xattr

Report on any differences in file extended attributes as defined by **setxattr(2)**.
Any missing or different extended attribute between the file pairs is reported.
This is on by default if extended attributes are supported by the system.

-Q, --no-xattr

Do not report any differences in file extended attributes.

-s, --size

Report file size differences (*st_size*), except for directories which are ignored.
This is on by default.

-S, --no-size

Do not report file size differences.

-t, --type

Report file **type** differences (files, directories, symbolic links, etc.)
This is on by default.

-T, --no-type

Do not report file **type** differences between the two compared directories.

-u, --uid

Report on any differences in file **user** ownership (owner user id, *st_uid*).
This is on by default.

-U, --no-uid

Do not report any differences in file **user** ownership (owner user id).

-y, --atime

Report on any differences in file access time (*st_atime*), up to nanosecond resolution if the underlying OS reports it.

Since merely reading a file causes the access time to be updated, this option is likely to be of limited use. **tdiff** will not update the file access times when comparing files if compiled on an OS with **O_NOATIME** **open(2)** support, whenever possible. One of the Operating Systems with **O_NOATIME** support, Linux, only allows to open a file with **O_NOATIME** if **tdiff** is ran by the file owner or root. All files for which this is the case will then be opened with **NO_ATIME**, but **tdiff** will silently drop the **O_NOATIME** flag if a *Permission denied* error is encountered. Please also note that commands specified with **-x/--exec**, **-w/--exec-always** or **-W/--exec-always-diff** may update the access times of the files they read.

-Y, --no-atime

Do not report any differences in file access times (*st_atime*).
This is on by default.

-z, --ctime

Report on any differences in file inode change time (*st_ctime*), up to nanosecond resolution if the underlying OS reports it.

Since inode change times are automatically set by Unix to the current time and cannot be changed afterwards, they will always be reported as different for any two file trees, except in rare cases (likely involving cloning raw file system images).

-Z, --no-ctime

Do not report any differences in file inode change times (*st_ctime*).
This is on by default.

Preset Options

The preset single letter options are either a numeric preset level from 0 to 9, or **-p** followed by a preset name or level. Presets can also be activated with the **--preset** long option followed by either a numeric preset level or a preset name.

Preset names can be shortened to their smallest unambiguous prefix. For example, **--preset amtimes** can be shortened to *am*, *missing* to *miss*, *default* to *d*, etc.

The presets are cumulative, preset level 9 is a super-set of preset level 8, itself a super-set of level 7 and so on.

The default preset level when **tdiff** starts parsing its options is preset 6/*notimes/default*.

-0, -p|--preset 0|none

Do not check anything. All the toggles are set to their inactive (**--no-**) state.

If only this preset is active (it is provided last on the command line for example), **tdiff** will not report anything but will still traverse the file trees. This is only useful to reset **tdiff**'s set of comparisons to the empty set and add exactly which fields should be compared with further toggle options.

- 1, -p|--preset 1|missing|type**
Report missing files and different file types.
tdiff will only emit messages for either files missing in either directory (**-d/--dirs**) or if they are of different file types (**-t/--type**). All the other toggles are set to their inactive (**--no-**) state.
- 2, -p|--preset 2|mode**
In addition to the comparisons enabled at preset level 1, **tdiff** will also enable file mode comparisons (**-m/--mode**). All the other toggles are set to their inactive (**--no-**) state.
- 3, -p|--preset 3|owner**
In addition to the comparisons enabled at preset level 2, **tdiff** will also enable user id (**-u/--uid**), group id (**-g/--gid**) and, if supported, Access Control Lists (**-l/--acl**) comparisons. All the other toggles are set to their inactive (**--no-**) state.
- 4, -p|--preset 4|hardlinks**
In addition to the comparisons enabled at preset level 3, **tdiff** will also enable link count (**-n/--nlink**) and hard link targets (**-e/--hardlinks**) comparisons. All the other toggles are set to their inactive (**--no-**) state.
- 5, -p|--preset 5|contents**
In addition to the comparisons enabled at preset level 4, **tdiff** will also compare file contents (**-c/--contents**), size (**-s/--size**), block usage (**-b/--blocks**), and for device files, major (**-j/--major**) and minor (**-k/--minor**) device numbers. All the other toggles are set to their inactive (**--no-**) state.
- 6, -p|--preset 6|notimes|default**
In addition to the comparisons enabled at preset level 5, **tdiff** will also compare, if supported, flags (**-f/--flags**) and extended attributes (**-q/--xattr**). All the other toggles are set to their inactive (**--no-**) state. This corresponds to a state where all toggles are on except the three times (**-y/--atime**, **-i/--mtime** and **-z/--ctime**) that are off.
If your system does not support either flags or extended attributes, then preset level 6 is equivalent to preset level 5.
This is the default preset level.
- 7, -p|--preset 7|mtime**
In addition to the comparisons enabled at preset level 6, **tdiff** will also compare file modification times (**-i/--mtime**). This corresponds to a state where all toggles are on except the file access time (**-y/--atime**) and the inode modification time (**-z/--ctime**) that are off.
- 8, -p|--preset 8|atimes**
In addition to the comparisons enabled at preset level 7, **tdiff** will also compare file access times (**-y/--atime**). This corresponds to a state where all toggles are on except the inode modification time (**-z/--ctime**) that is off.
- 9, -p|--preset 9|alltimes|all**
tdiff will compare all available attributes, turning all toggles on.

Other Miscellaneous Options

- a, --mode-and MASK**
When comparing file permission bits, perform a binary **and** between the permission bits and **MASK** before comparing them.
MASK is specified in octal, like with **chmod(2)**, unless prefixed with **0x**, in which case it is parsed as hexadecimal.
- o, --mode-or MASK**
When comparing file permission bits, perform a binary **or** between the permission bits and **MASK** before comparing them.
MASK is specified in octal, like with **chmod(2)**, unless prefixed with **0x**, in which case it is parsed as hexadecimal.

-w, --exec-always *COMMAND*... \;

Always execute *COMMAND* for any pair of matching regular files found in the trees. Refer to the **CONTENTS COMPARISONS** section for details.

If either options are specified more than once, the last command defined will be used.

Using either option turns on the **-c/--contents** toggle.

-W, --exec-always-diff

Always execute *diff -u* for any pair of matching regular files found in the trees. This is a shortcut for:

tdiff --exec-always diff -u %1 %2 \;

The option will supersede whichever command was specified in a **-w/--exec-always** option appearing earlier on the option list.

Using either option turns on the **-c/--contents** toggle.

-x, --exec *COMMAND*... \;

Uses *COMMAND* when comparing files whose sizes are the same. Refer to the **CONTENTS COMPARISONS** section for details.

If either options are specified more than once, the last command defined will be used.

Using either option turns on the **-c/--contents** toggle.

-X, --exclude *FILE*

Excludes *FILE* from processing: any discrepancies on a file or missing file named *FILE* will not be reported. Neither will external commands be ran on them. If *FILE* matches the name of a directory, it will not be descended into and any sub-directories or files it contains will be completely ignored.

This option may be specified more than once, all the files listed will be added to the exclusion list.

-O, --follow-symlinks

Completely ignore symbolic links and always **f**ollow and dereference them.

This is off by default (symbolic links are not followed / dereferenced).

HARD LINKS

tdiff optimizes for hard links in two ways:

- **tdiff** will skip examining a pair of files if it has already compared the pair's hard links copies.

For example, if you have *file1* hard linked to *file2* in both *DIRECTORY1* and *DIRECTORY2*, **tdiff** will only report any differences for *file1* and will skip *file2* entirely since it's linked to *file1* in both examined directories, and the list of differences would be the same as for the already reported *file1* case.

- **tdiff** will skip examining two hard-linked files.

For example, if *dir1/file* is hard linked to *dir2/file*, then **tdiff** will omit examining the file pair entirely since they really are the same object and would have no differences at all.

tdiff's hard link optimization depends on files' inode and device numbers to be stable, unique and consistent at least for the duration of the **tdiff** run. This is generally the case for traditional file systems.

tdiff can optionally show which hard linked files are skipped and for what reason when run at the verbosity level 2 or above (**-vv** or **--verbose --verbose**).

CONTENTS COMPARISONS

tdiff uses built-in code for file contents comparisons. It avoids running an actual comparison if the file's sizes (*st_size*) are different: the files with different sizes will be reported as having different contents without even comparing them as the size difference is enough to ascertain that their contents differ.

Optionally, **tdiff** can run external commands to perform the comparison. When providing an external command, the *COMMAND* must be passed as multiple arguments terminated by a semi-colon, which must be escaped to avoid processing by the shell. *COMMAND* should not be quoted as a single argument.

In the arguments can appear the strings *%1* and *%2* which will be respectively replaced by the paths to files in the first and second compared directories. *%1* and *%2* can only appear once on the command line, and

must be full words: they cannot appear inside a larger shell word.

For example:

```
tdiff --exec gtdiff %1 %2 \; directory1 directory2
```

If either the **-x** or **--exec** options are used, the command specified there will be ran instead of the built-in comparison and its exit status used to detect a difference (zero exit status meaning no difference, and non-zero meaning a difference). With either these options in effect, **tdiff** will not print any error message if the files are different, the command used for **-x/--exec** should take care of reporting the error. Note that the command *will not be ran if **tdiff** can find via the file size that the files differ by virtue of having different sizes.*

If either the **-w/--exec-always** or **-W/--exec-always-diff** options are used, the command specified with these options will always be ran for every pair of regular files having the same path in both directories, whether or not they have the same size. The internal comparison pass will run and will report if the files are different, then the **-w/--exec-always/-W/--exec-always-diff** command will run. **tdiff** will record a difference if the **-w/--exec-always/-W/--exec-always-diff** command returns with non-zero exit status, even if the internal comparison or the **-x/--exec** command are successful.

If both **-x/--exec** and **-w/--exec-always/-W/--exec-always-diff** options are used, then the command specified for **-x/--exec** will be ran if the file sizes of the compared files are the same, and the command specified by **-w/--exec-always/-W/--exec-always-diff** will always run.

This means that with options from both groups active, both the **-x/--exec** and **-w/--exec-always/-W/--exec-always-diff** commands will be ran for files with the same size.

EXIT STATUS

tdiff exits with status:

- 0 if no discrepancies nor errors were encountered.
- 1 if there were any problems with arguments or parsing the command line.
- 2 if there were any differences reported, either by **tdiff** logging a discrepancy, or any of the **-x/--exec** or **-w/--exec-always** commands exiting with non-zero status.
- 3 if there was any system error (a file couldn't be read for example).
- 4 if there was an internal error. This should not happen.

EXAMPLES

Check that the two file trees rooted at *directory1* and *directory2* are exactly the same, including symbolic link targets if any, permissions, hard disk block usage, owner user and group ids, and if supported, flags, ACLs and extended attributes:

```
tdiff directory1 directory2
```

Same as previous example, but also check that the file modification times are the same:

```
tdiff -i directory1 directory2
```

Only report if any files are present in only one directory:

```
tdiff -0 --dirs directory1 directory2
```

Report only ownership (user or group id) differences, ignore any missing files:

```
tdiff -0 --uid --gid directory1 directory2
```

Report only group permission bits differences, ignore any missing files:

```
tdiff -0 --mode --mode-and 70 directory1 directory2
```

or:

```
tdiff -0 --mode --mode-or 7707 directory1 directory2
```

Report only sticky bits differences, ignore any missing files:

```
tdiff -0 --mode --mode-and 1000 directory1 directory2
```

or:

tdiff -0 --mode --mode-or 6777 directory1 directory2

Run **cmp -l** on every file of the same size in both trees:

tdiff -0 --exec cmp -l %1 %2 \; directory1 directory2

Run super-diff: diff files with **diff -u** and reports any other kind of differences in inode contents except for times:

tdiff --exec-always-diff directory1 directory2

or more tersely:

tdiff -W directory1 directory2

Same with file modification times:

tdiff -W --preset mtime directory1 directory2

or also:

tdiff -Wi directory1 directory2

REPORTING BUGS

Report bugs on the GitHub Issues page [⟨https://github.com/F-i-f/tdiff/issues⟩](https://github.com/F-i-f/tdiff/issues).

COPYRIGHT

Copyright (C) 1999, 2008, 2014, 2019 Philippe Troin (F-i-f on GitHub [⟨https://github.com/F-i-f⟩](https://github.com/F-i-f)).

tdiff comes with ABSOLUTELY NO WARRANTY.

This is free software, and you are welcome to redistribute it under certain conditions.

You should have received a copy of the GNU General Public License along with this program. If not, see [⟨http://www.gnu.org/licenses/⟩](http://www.gnu.org/licenses/).

SEE ALSO

acl_set_file(1), chmod(1), diff(1), getfacl(1), getfattr(1), open(2), setxattr(2), stat(2).